

Armeen OL

Oleyl amine.

Specifications

Amine number	201-215 mg KOH/g
Color	≤ 4 Gardner
Iodine value	≥ 85 g I ₂ /100 g
Moisture	≤ 0.5 %
Primary Amine	≥ 95 %
Secondary + Tertiary Amine	≤ 5 %

Characteristics

Appearance	Liquid at 25°C
Boiling point	(760 mm Hg) 260 - 350 °C
Flash point	≥ 150°C
HLB	8 Davies Scale 0-40
Melting point	7 °C
Pour point	15 °C
Specific Gravity	0.812 (38°C), 0.803 (60°C), 0.795 (70°C)
Specific Heat BTU/Lb/F	0.48 (77-86°F), 0.51 (99-108°F), 0.53 (113-120°F)
Vapor pressure	≤ 0.1 mm Hg @20 C
Viscosity	7 (38°C), 6 (54°C), 5 (65°C), 4 (75°C), 3 (85°C) cP

Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Additional information

Raw Materials Sourcing: The raw materials used for the manufacturing of Armeen® OL are of Synthetic and Animal origin.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Armeen® is a registered trademark in many countries. For more information, please visit our website at www.nouryon.com.

Nouryon