



Metal alkyls



Our products and capabilities

Nouryon

Nouryon creates everyday essentials

Nouryon is your partner in essential solutions for a sustainable future

We are a global, specialty chemicals leader. Within our Polymer Specialties business, we produce everyday essentials for the global polymer, recycling and polymer processing industries. We are among the world's leading producers of organic peroxides, metal alkyls and organometallic specialties, which are essential ingredients for the thermoplastic, composite and rubber industries. We are widely known for our world-class products, including Butanox®, Trigonox® and Perkadox® brands.

We have a long history in metal alkyls, starting with large-scale production of aluminum alkyls in 1959, using technology licensed by Nobel laureate Karl Ziegler. Since then we have added many new metal alkyls to our product

portfolio, with the growth of plastics in everyday life. Today, we are the global number one producer offering a broad range of metal alkyls, including aluminum, magnesium, boron and zinc alkyls. Each year, millions of tons of polypropylene, polyethylene, and several types of synthetic rubber are manufactured with our products. These polymers find their way into a wide variety of consumer products such as plastic packaging, toys and automotive parts.

Our products are also used in chemical synthesis of medicines and fine chemicals. In fact, some of the world's best selling active pharmaceutical ingredients are synthesized using our organometallic specialties.

A global partner

Our manufacturing sites and distribution centers are found all around the globe. Our global distribution network allows us to deliver our products to you anywhere in the world. That's how we ensure security of supply and easy access to quality products wherever you are.

All our sites are ISO 9001 and ISO 14001 certified to ensure the highest product quality and strict compliance with environmental regulations. We continually invest in manufacturing techniques, high quality standards, safety, innovation, active technical support and a reliable supply chain.



Contributing to a sustainable future



Our Commitment:

We partner with our customers, suppliers and employees to deliver innovative solutions, drive progress and create a safe and sustainable today and tomorrow for everyone.



WE EMPOWER AND ENGAGE

We empower our employees and engage with our suppliers and communities to deliver a positive impact


Key sustainable development goals:



WE INNOVATE AND GROW

We enable growth by meeting customer demand for innovative and sustainable solutions

Key sustainable development goals:



WE OPERATE RESPONSIBLY

We enhance operational excellence and efficiency to continuously improve our safety and environmental performance suppliers, and society to drive sustainable progress

Key sustainable development goals:



Our memberships and partnerships



Our ratings



EcoVadis Gold Rating



CDP B score Climate Change

Our ambitions and targets



Safety ambition: Zero injuries and harm

- By the end of 2030, we have targeted reducing our absolute Scope 1 & 2 GHG emissions by **40%**, vs. a 2019 base year
- By the end of 2030, we have targeted reducing our total waste intensity by **10%**, and water consumption intensity by **10%**, vs. a 2019 base year¹

By 2050, we aspire to be a **net zero** organization

2030

2050

Empowering the polymer cycle

Building on a sustainability driven strategy. We deliver essential ingredients that enhance and support the polymer cycle.



Your safety Our priority



Nouryon is recognized as a global leader in metal alkyl safety. Our proven success in safe handling of metal alkyls and other (metal-)organic specialties is due to our long-term commitment to safety. Safety is always our top priority.

Sharing our experience in safety is one of the most important resources we offer. Through our safety programs we provide expert advice on the handling of these materials including:

- classroom training of safety and handling of metal alkyls
- consultation on metal alkyl facility design
- demonstrations on the safe use, handling and control of metal alkyls
- on-site assistance and advice regarding procedures

Our Safety Research Laboratory in Deventer, the Netherlands, is heavily involved in R&D, ensuring the development of safe products and processes. Studies are carried out, in order to ensure a high level of safety in manufacturing, handling and transport of dangerous substances. Please contact us if you are interested in such services.

Safety and technical support is offered globally to our customers. We have a team of regional Technical Development Managers, who are the liaison between the market and R&D. They understand your future needs and are committed to the success of our customers.



A broad range of organometallics



Organometallics are used in a wide range of applications. The main area of application of metal alkyls is the polymerization of olefins and dienes by Ziegler-Natta catalyst systems. Metal alkyls and aluminoxanes are also used as (co)catalyst in a variety of related technologies that are extensions of Ziegler chemistry. These include oligomerization of ethylene, dimerization and cyclodimerization of olefins and dienes, and ring opening polymerization.

In pharmaceutical and fine chemical synthesis, our products are especially useful in reduction, addition, alkylation and deprotonation, where they facilitate various asymmetric steps. Some of our products are presently used in the production of some of the world's leading blockbuster drugs. Our products can be provided as neat metal alkyls, as blends in solvents, or custom mixtures of metal alkyls.

We bring you solutions. Whatever your particular requirements, we can develop the product to match. This product guide provides an overview of our main commercially available metal alkyls and aluminoxanes.

For detailed properties of metal alkyls, please refer to our Product Data Sheets which are available at nouryon.com

Aluminum alkyls

CHEMICAL NAME	ACRONYM	MOLECULAR FORMULA	CAS NO.	EINECS/ELINCS NO.
Trimethylaluminum	TMAL	(CH ₃) ₃ Al	75-24-1	200-853-0
Triethylaluminum	TEAL	(C ₂ H ₅) ₃ Al	97-93-8	202-619-3
Triisobutylaluminum	TIBAL	(i-C ₄ H ₉) ₃ Al	100-99-2	202-906-3
Tri-n-hexylaluminum	TNHAL	(n-C ₆ H ₁₃) ₃ Al	1116-73-0	214-241-6
Tri-n-octylaluminum	TNOAL	(n-C ₈ H ₁₇) ₃ Al	1070-00-4	213-964-4
Diethylaluminum ethoxide	DEAL-E	(C ₂ H ₅) ₂ AlOC ₂ H ₅	1586-92-1	216-447-1
Diisobutylaluminum hydride	DIBAL-H	(i-C ₄ H ₉) ₂ AlH	1191-15-7	214-729-9
Isoprenylaluminum	ISOPRENYL	(i-C ₄ H ₉) _m Al(C ₅ H ₁₀) _n	70024-64-5	274-261-6
Diethylaluminum chloride	DEAC	(C ₂ H ₅) ₂ AlCl	96-10-6	202-477-2
Ethylaluminum sesquichloride	EASC	(C ₂ H ₅) ₃ Al ₂ Cl ₃	12075-68-2	235-137-7
Ethylaluminum dichloride	EADC	C ₂ H ₅ AlCl ₂	563-43-9	209-248-6
Diisobutylaluminum chloride	DIBAC	(i-C ₄ H ₉) ₂ AlCl	1779-25-5	217-216-8
Isobutylaluminum dichloride	MONIBAC ^{a)}	i-C ₄ H ₉ AlCl ₂	1888-87-5	217-563-5

^{a)} From monoisobutylaluminum dichloride



Aluminoxanes

CHEMICAL NAME	ACRONYM	STANDARD SOLVENT	CAS NO.	EINECS/ELINCS NO.
Polymethylaluminoxane	PMAO	Toluene	120144-90-3	a)
Polymethylaluminoxane Improved Performance	PMAO-IP	Toluene	206451-54-9	a)
Modified methylaluminoxane, Type 3A	MMAO-3A	Heptane	146905-79-5	a)
Modified methylaluminoxane, Type 7	MMAO-7	Isopar® E	206451-54-9	a)
Isobutylaluminoxane, Type 65	IBAO-65	Hexane	220326-29-4	a)

a) Regarded as polymeric substance which does not require EINECS/ELINCS notification

Magnesium alkyls

CHEMICAL NAME	ACRONYM	MOLECULAR FORMULA	CAS NO.	EINECS/ELINCS NO.
n-Butylethylmagnesium	MAGALA® BEM	$n\text{-C}_4\text{H}_9\text{MgC}_2\text{H}_5$	62202-86-2	263-454-0

Boron alkyls

CHEMICAL NAME	ACRONYM	MOLECULAR FORMULA	CAS NO.	EINECS/ELINCS NO.
Triethylborane	TEB	$(\text{C}_2\text{H}_5)_3\text{B}$	97-94-9	202-620-9

Zinc alkyls

CHEMICAL NAME	ACRONYM	MOLECULAR FORMULA	CAS NO.	EINECS/ELINCS NO.
Diethylzinc	DEZ	$(\text{C}_2\text{H}_5)_2\text{Zn}$	557-20-0	209-161-3

With respect to REACH we can state the following: We have filed all of the appropriate registrations with the European Chemicals Agency (ECHA). If applicable, exposure scenarios are provided as part of an extended Safety Data Sheet (eSDS). If available/applicable, the REACH registration number of this product and/or the REACH registration numbers of the individual ingredients of this product can be found on Section 3 of the applicable European Safety Data Sheet (SDS).



Shipping containers

We maintain a fleet of cylinders, portable tanks, ISO containers, tank trailers and rail cars designed for the shipment of metal alkyls and organometallic specialties. Our shipping containers are designed and constructed to meet all national and international transport regulations and are tested periodically, in accordance with the appropriate regulations.

CYLINDER	VOLUME (90% FULL)	DIMENSIONS	
		Diameter	Height
Pyrosafe	0.81 l (0.21 gal)	7.6 cm (3.0 in)	29.8 cm (11.7 in)
B-2	9.8 l (2.59 gal)	23.2 cm (9.125 in)	46.4 cm (18.25 in)
B-5	19.6 l (5.18 gal)	30.8 cm (12.125 in)	53.3 cm (21 in)
B-28	98.4 l (26.0 gal)	37.1 cm (14.625 in)	129.5 cm (51 in)
B-118	405 l (107 gal)	76.2 cm (30.0 in)	145.7 cm (57.4 in)





PORTABLE TANK	VOLUME (90% FULL)	DIMENSIONS		
		Length	Diameter	Height
C-250	829 l (219 gal)	208 cm (82 in)	81 cm (32 in)	96.5 cm (38 in)
C-430 dome type	1,465 l (387 gal)	208 cm (82 in)	107 cm (42 in)	122 cm (48 in)
C-430 saddle type	1,465 l (387 gal)	208 cm (82 in)	107 cm (42 in)	128 cm (50.5 in)
C-480 saddle type	1,692 l (447 gal)	219.6 cm (86.4 in)	110 cm (43.3 in)	130.5 cm (51.4 in)
C-1980	6,745 l (1,782 gal)	305 cm (120 in)	190 cm (74.8 in)	224 cm (88.2 in)
ISO ^a	18,900-21,150 l (4,993-5,584 gal)	606 cm (239 in)	244 cm (96 in)	259 cm (102 in)

^a Exact volume of an ISO tank container depends on the model

Rail car (66,244 l (17,500 gal) (90% full)) and tank trailer (22,100 l (5,838 gal)) containers are available in North America only.

Our continuous investment in shipping containers and our global distribution network are demonstrations of our commitment to security of supply.





Custom synthesis

We offer custom-manufactured complex organics, such as ligands, metallocenes, single site catalysts and other specialty chemicals. We provide proprietary technology, scale-up expertise and commercial scale production.

We have developed significant capabilities in this field, using synergies with Nouryon's organic synthesis strengths.

Our expertise and facilities find growing use in the synthesis of (single site) catalysts and specialty chemicals, that are used in polyolefin, elastomer, pharmaceutical, and fine chemical industries.

Our core competencies are in complex and hazardous chemistries, and the handling of highly reactive chemicals (incl. metal alkyls, titanium tetrachloride, Grignard reagents).

We have the expertise to work in an oxygen and water free environment. We strive for the highest product purity and consistency.

We have broad experience in developing and optimizing process routes, and recycling process streams, thereby reducing or eliminating waste in manufacturing.

Our custom-manufactured organometallic specialities are shipped to customers throughout the world.



We want to be your preferred supplier, producing custom specific products through arrangements protected by confidentiality agreements. From gram-scale to multiple-metric-ton level, we're happy to meet with you and discuss your target molecule.

Moreover, we manufacture non-proprietary metallocenes like bis(cyclopentadienyl) titanium dichloride (TDC, CAS No. 1271-19-8).

Contact us

For product inquiry and ordering information, please contact your Nouryon account manager or regional Nouryon sales office.

Americas

US and other countries

100 Matsonford Road
Building 5, Suite 550
Radnor, PA 19087
USA
E polymer.amer@nouryon.com

Mexico

Av. Morelos No. 49
Col. Tecamachalco
Los Reyes La Paz Estado de Mexico
C.P. 56500 Mexico
T +52 55 5858 0700
E polymer.mx@nouryon.com

Brazil

Rodavia Nouryon no. 707
Portão A – Planta C
Bairro São Roque da Chave
13295-000 Itupeva - São Paulo
Brazil
T +55 11 4591 8800
E polymer.sa@nouryon.com

Europe, India, Middle East and Africa

France, Italy, Spain and Portugal

Autovia de Castelldefels, km 4.65
08820 El Prat de Llobregat
Barcelona
Spain
T +34 933 741991
E polymer.es@nouryon.com

India

North Block 102, 1st Floor, Empire
Tower, Reliable Cloud City Campus
Off Thane – Belapur Road
Airoli, Navi Mumbai - 400708
India
T +91(0) 22 68426700
E polymer.india@nouryon.com

Middle East

Nouryon Saudi Arabia
King Saud Road, Kanoo Tower
P.O. Box 37
31411 Dammam
Saudi Arabia
T + 96 61383 46526
E communications.me@nouryon.com

Other countries

Zutphenseweg 10
7418 AJ Deventer
The Netherlands
E polymer.emeia@nouryon.com

Asia Pacific

Room 2501 & 26F, Building A
Caoheijing Center
No. 1520 Gumei Road, Xuhui District
Shanghai 200233
P.R. China
T +86 21 2289 1000
E polymer.apac@nouryon.com

Additional information

Product Data Sheets (PDS) and Safety Data Sheets (SDS) for our polymerization initiators are available at [nouryon.com](https://www.nouryon.com)

On request we also provide specific publications on subjects such as applications of metal alkyls, analytical technique, safe use and storage of metal alkyls, facilities design and maintenance, and unloading procedures.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Magala, Butanox, Perkadox and Trigonox are registered trademarks of Nouryon Functional Chemicals B.V. or affiliates in one or more territories.

Isopar is a registered trademark of Exxon Mobil Corporation.

Nouryon

Nouryon is a global, specialty chemicals leader. Markets and consumers worldwide rely on our essential solutions to manufacture everyday products, such as personal care, cleaning goods, paints and coatings, agriculture and food, pharmaceuticals, and building products. Furthermore, the dedication of approximately 8,200 employees with a shared commitment to our customers, business growth, safety, sustainability and innovation has resulted in a consistently strong financial performance. We operate in over 80 countries around the world with a portfolio of industry-leading brands.

[nouryon.com](https://www.nouryon.com)